COUNTY COUNCIL

OF

TALBOT COUNTY, MARYLAND

2010 Legislative Session, Legislative	Day No.:	September 21, 20	<u>10</u>
	Bill No.:	<u>1199</u>	
Expiration	on Date:	November 25, 201	0
Introduced by: Mr. Bartlett, Mr. Harri	son, Mr. Pa	<u>ck</u>	
A BILL TO AMEND THE TAL SUBDIVISION AND LAND DEVE SYSTEMS WITH WIND TURBINI HEIGHT AND TO AMEND PRODUCTION FACILITIES	ELOPMEN' E TOWERS	T TO PERMIT SM	IALL WIND TURBINE D 160 FEET IN TOTAL
		By the Council:	<u>September 21, 2010</u>
Introduced, read first time, ordered p 12, 2010 at 2:00 p.m. in the Bradley M. Washington St., Easton, Maryland 2	Leeting Roo		· · · · · · · · · · · · · · · · · · ·
		By OrderSec	retary

A BILL TO AMEND THE TALBOT COUNTY CODE, CHAPTER 190, ZONING, SUBDIVISION AND LAND DEVELOPMENT TO PERMIT SMALL WIND TURBINE SYSTEMS WITH WIND TURBINE TOWERS NOT TO EXCEED 160 FEET IN TOTAL HEIGHT AND TO AMEND STANDARDS FOR SMALL WIND TURBINE PRODUCTION FACILITIES

SECTION ONE: BE IT ENACTED BY THE COUNTY COUNCIL OF TALBOT COUNTY, MARYLAND, that § 190 of the Talbot County Code entitled "Zoning, Subdivision and Land Development" is amended as set forth herein.

KEY

* * * Existing law or bill unaffected.

Article III Land Uses

Table III-1. General Table of Land Uses

* * *

	AC	CP	WRC	RC	RR	TC	TR	VC	LC	GC	LI
Wind Turbine System, Small See regulations for specific land uses in this Article	<u>A</u>										
Wind Turbine Production Facility, Small See regulations for specific land uses in this Article	S	<u>S</u>							<u>P</u>	<u>P</u>	<u>P</u>

* * *

§ 190.104.1. Wind Turbine Tower

1 2 3

4

5

In the AC zoning district only Talbot County, Maryland, shall be and is hereby authorized to construct and operate an experimental wind turbine production facility on property owned by Talbot County, Maryland located adjacent to an existing septage receiving and treatment facility, subject to the following conditions and requirements.

6 7 8

9

A. Small Wind Turbine Uses

The following are specific requirements for <u>Small Wind Turbine Systems and Small Wind Turbine Production Facilities.</u>

10 11 12

(1) Small Wind Turbine Systems:

Must comply with all general requirements listed in B below. 13 (a) (b) Are limited to a minimum lot size of 5 acres. Not applicable to small wind 14 turbine towers and windmills with a total height of 40 feet or less. 15 (c) Are limited to a maximum of one small wind turbine tower on parcels 20 16 acres or less. 17 Are limited to a maximum of two small wind turbine towers on parcels 18 (d) greater than 20 acres. 19 20 Shall be limited to single-site consumption. (e) Sound levels shall not exceed dBa levels specified in the Noise Standards 21 (f) 22 Talbot County Code Chapter 190, Article V, §190-125. Shall not exceed a cumulative metering rate of 100 kilowatts on a single-23 (g) site. 24 25 Include windmills limited to a total height of less than 75 feet. (h) 26 (2) Small Wind Turbine Production Facilities: 27 28 Must comply with all general requirements listed in B below. Are limited to a minimum lot size of 10 acres. (b) 29 Shall provide an engineering report stating the proposed small wind 30 (c) turbine tower does not exceed the minimum height necessary to 31 accomplish the purpose for which it is constructed. 32 Shall be limited to off-site or a combination of both off-site and single-site 33 (d) 34 consumption. Sound levels shall not exceed dBa levels specified in the Noise Standards 35 (e) Talbot County Code Chapter 190, Article V, §190-125. 36 May have cumulative metering rates that exceed 100 kilowatts. May 37 (f) result in metering rates with a cumulative total greater than 100 kilowatt 38 hours. 39 40 В. 41 General requirements 42 All Small Wind Turbine Systems and Small Wind Turbine Production Facilities shall be 43 44 subject to the following general requirements: 45 (1) All small wind turbine systems with a total height of 75 feet or higher shall be 46 subject to a Major Site Plan review. 47 48 All small wind turbine production facilities shall be subject to a Major Site Plan 49 (2) review. 50 51 Prior to the Planning Commission meeting for a small wind turbine production (3) 52 facility, the applicant shall perform a highly visible balloon test lasting a 53 minimum of 30 minutes. The date, location, and beginning and ending time of 54 the test shall be published in a local newspaper at least one week prior to the test. 55 The Planning Director shall approve the newspaper notice. The results of the 56 balloon test shall be incorporated into a computerized simulation submitted to the 57 Planning Office 10 days prior to the Planning Commission meeting. 58

computerized simulation shall illustrate the small wind turbine tower at the 59 60 proposed height and color scheme. 61 62 (4) All small wind turbine towers shall comply with all guidelines and procedures provided by the Talbot County Department of Permits and Inspections. 63 64 (5) The ground base of any small wind turbine tower shall be setback from any 65 property lines, road rights-of-way and overhead utility lines, a distance that is the 66 total height of the small wind turbine tower plus 10 feet. Notwithstanding any 67 other section of this chapter, this limitation shall not be subject to modification by 68 either a special exception or variance. 69 70 The blade tip of a small wind turbine tower, at its lowest point, shall be a (6) 71 minimum 30 ft. above any obstruction within 300 ft. Not applicable to vertical-72 axis wind turbines (VAWT) and windmills. 73 74 75 (7) Small wind turbine towers shall be located a minimum distance of 30 feet from any other structure on the same lot or parcel. Not applicable to vertical-axis wind 76 77 turbines (VAWT) and windmills. 78 79 (8) The distance between small wind turbine towers shall be a minimum of 10 times the length of blade or foil. 80 81 (9) The total height of a small wind turbine tower shall be no higher than necessary to 82 access adequate winds, but in no case shall exceed 150 160 feet. The total height 83 is measured from the lowest finished grade elevation at the base to the upper most 84 85 tip of blade. The lowest finish grade elevation may not be changed from the preexisting natural topography without an approval from the County. 86 Notwithstanding any other section of this chapter, this limitation shall not be 87 subject to modification by either a special exception or variance. 88 89 (10)The blade tip of any small wind turbine tower shall, at its lowest point, have 90 ground clearance of no less than 25 feet, as measured at the lowest point of the arc 91 of the blades from the lowest finished grade elevation at the base. The lowest 92 finish grade elevation may not be changed from the pre-existing natural 93 topography without an approval from the County. Not applicable to vertical-axis 94 wind turbines (VAWT). 95 96 97 (11)The blade tip or foil of any vertical-axis wind turbine (VAWT) shall, at its lowest point, have ground clearance of no less than 12 feet, as measured at the lowest 98 99 point of the arc of the blades from the lowest finished grade elevation at the base. The lowest finish grade elevation may not be changed from the pre-existing 100 natural topography without an approval from the County. 101 102 The Building Permit or Major Site Plan application shall be accompanied by a (12)103 letter from a local utility company acknowledging the applicants intend to install a 104 small wind turbine tower. Not applicable to windmills. 105

106 107 (13)All electrical wires associated with a small wind turbine tower, other than wires necessary to connect the wind generator to the wind tower wiring, the wind tower 108 wiring to the disconnect junction box, and the grounding wires, shall be located 109 underground. 110 111 (14)The small wind turbine tower shall be designed to minimize adverse visual and 112 environmental impact. 113 114 (15)The small wind turbine tower shall not be used for the displaying of any 115 116 advertisements or unauthorized signage. 117 Appropriate Warning signs and signs identifying the manufacturer, installer, or (16)118 owner of the small wind turbine tower may shall be attached to the tower not to 119 exceed one square foot in size. No other signage shall be permitted without 120 approval from the County. 121 122 (17)The small wind turbine tower shall be a self-supporting monopole or lattice 123 structure. 124 125 (18)The small wind turbine tower shall not be sited on piers or other water-dependent 126 127 facilities in accordance with the Annotated Code of Maryland §16-104. 128 (19)The small wind turbine tower shall not be lit unless required by federal or State 129 regulations. If lighting is required, the least intensive approved lighting shall be 130 used. 131 132 (20)133 The small wind turbine rated capacity shall be calculated using the current Maryland Energy Administration (MEA) standard. 134 135 136 (21)The small wind turbine tower shall be designed so as to prohibit step bolts or a ladder readily accessible to the public for a minimum height of 12 feet above the 137 lowest finished grade elevation at the base. The lowest finish grade elevation may 138 not be changed from the pre-existing natural topography without an approval 139 from the County. Not applicable to vertical-axis wind turbines (VAWT). 140 141 The applicant must include a copy of the maintenance contract with the Major 142 Site Plan application for small wind turbine towers 75 feet or higher. 143 144 Pursuant to any request for code compliance regarding an abandoned or (22)145 146 inoperable wind turbine tower, the burden of proof indicating current wind energy production shall be upon the owner of the land. A determination made by the 147 County regarding wind turbine inoperability or abandonment may be appealed to 148 the Talbot County Board of Appeals. 149 150 (23)Any small wind turbine tower found to be abandoned or unsafe by the County 151 Engineer shall be repaired or removed by the landowner. A small wind turbine 152

- tower that fails to operate, or is out of service for a continuous 12-month period, 153 shall be deemed to be abandoned. 154
- A wind turbine tower shall be removed within ninety (90) days of abandonment. 156 (24)Failure to comply within the period of time specified above will result in the 157 complete removal of the abandoned wind turbine tower by Talbot County. As 158 provided by Code, all costs associated with this action incurred by Talbot County 159 will be forwarded to the property owner for payment. Should the property owner 160 fail to make payment to Talbot County within thirty (30) days of turbine tower 161 removal, the costs shall be charged to the owner of such property on the next 162 regular real estate tax bill forwarded to such owner by the County, and said 163 charges shall become a lien on the property and be due and payable by said owner 164 at the time of payment of such bill. 165
- (25)The small wind turbine tower must comply with all regulations of the Federal 167 Aviation Administration (FAA), if applicable, including any necessary approvals 168 for installations within the airport overlay zone. 169

171

Article V **Development Standards**

174

172 173

166

170

155

175 190-113. Structure height 176

177 Structures shall comply with the following height limits.

178

179 Table V-1. Structure height

180

Туре	e of structure	Maximum height	Additional requirements
ī	I. Wind Turbine Towers (see Article III).	150 160 feet	Minimum required setback shall
1.			be 10 feet greater than the total
			height of the tower.

181 182

183

Article IX Administration 184

Special Exception §190-180. 185

187

188

186

189 190 D. Special exceptions for Wireless Communication Towers and Small Wind Turbine Production Facilities.

- 191 192 (1) A special exception or special exception amendment may be granted for a wireless communication tower or small wind turbine production facility 193 194 only when the Board of Appeals finds from a preponderance of the evidence that the proposed use will satisfy the standards of §190-180C(1), 195 (2), and (5) through (10). 196 197 (2)The applicant must obtain major site plan approval prior to applying for a 198 special exception from the Board of Appeals. 199 200 201 (2) The Board of Appeals shall define as a condition of approval the type(s) of service to be provided and a time schedule for commencement of services 202 upon construction. Amendments to this condition shall require review and 203 approval by the Board. Not applicable to small wind turbine production 204 facilities. 205
 - (3) The Board of Appeals must find and conclude that consistent with the Telecommunications Act of 1996, any decision to deny an application to place, construct or modify a wireless telecommunication tower is supported by substantial evidence contained in the written record. Not applicable to small wind turbine production facilities.

213 * * *

214 Article XI Definitions

215 §190-208. Definitions

216 * * *

217

206207

208

209

210

211212

TOTAL HEIGHT – The distance of a wind turbine tower measured from ground level (natural grade) to the tip of blade extended at its highest point.

220

221 <u>RATED CAPACITY, SMALL WIND TURBINE – The expected performance of a wind turbine</u> 222 at a specified wind speed (meters per second or miles per hour).

223

WINDMILL – A type of small wind turbine tower incapable of electrical energy production that
 harnesses wind power to rotational motion by means of vanes. The typical use is to pump water
 or grind, crush, and press grain.

227

WIND TURBINE PRODUCTION FACILITY, SMALL – A <u>commercial</u> facility producing primarily off-site electricity or a total rated capacity greater than 100 kilowatts.

230

WIND TURBINE SYSTEM, SMALL – A wind energy conversion system that is used to generate electricity; has a total rated capacity of 100 kilowatts (kW) or less; consisting of a wind turbine, a single-tower, and base and associated control or conversion electronics.

234

235	WIND TURBINE TOWER, SMALL - Consists of a <u>turbine associated with a small wind turbine</u>					
236	system, a turbine associated with a small wind turbine production facility or a windmill;					
237	supported by a monopole or lattice. that supports the turbine for a small wind turbine production					
238	facility The turbine includes the blade or foil, generator, and tail.					
239						
240	WIND TURBINE, VERTICAL-AXIS (VAWT) – A type of small wind turbine tower where the					
241	axis of rotation is perpendicular or vertical to the wind stream and the ground.					
242						
243	* * *					
	SECTION TWO: BE IT FURTHER ENACTED, that this amendment shall take effect sixty					
	(60) days from the date of its passage.					

244

PUBLIC HEARING

Having been posted and Notice of time	me and place of hearing and	Title of Bi	ill No
having been published, a public hearing wa	s held on Tuesday,	at	p.m. in
the Bradley Meeting Room, South Wing,	Talbot County Courthouse	, 11 North	Washington
Street, Easton, Maryland 21601.			
BY THE COUNCIL			
Read the third time.			
EN A CITED			
ENACTED:			
	Py Order		
	By Order Secre		
	Secre	tai y	
	Harrison -		
		_	
	Pack Duncan	_	
	Foster -	_	
	Bartlett -	_	
		_	